



PO Box 16017
Hornby

Christchurch 8441

Phone: 03 344 0260

Fax: 03 3498732

info@agrippapaints.co.nz

www.agrippapaints.co.nz



ULTRAMAX

One Coat Deck & Furniture Oil Stain

PRODUCT INFORMATION

DESCRIPTION:

ULTRAMAX One Coat Deck & Furniture Oil Stain is a premium, water based, long lasting, one-coat oil stain designed to enhance and preserve the colour of new timber while restoring the rich hue of weathered wood.

PROPERTIES:

ULTRAMAX One Coat Deck & Furniture Oil Stain is a unique, water-based modified linseed oil stain that features powerful UV absorbers and fungicidal protection technology. This transparent stain enhances the natural grain of the wood. The oil-rich formula of ULTRAMAX One Coat Deck & Furniture Oil Stain penetrates the timber to provide effective protection.

With just one coat on most timber surfaces, ULTRAMAX One Coat Deck & Furniture Oil Stain offers long-lasting protection. It preserves the appearance of new wood and helps enhance and restore the look of weathered or previously oil-stained timber.

After application, it takes up to 48 hours to cure, resulting in a finish that will not mark clothing or leave tracks when used on decks and outdoor furniture.

PRINCIPAL USES:

ULTRAMAX One Coat Deck & Furniture Oil Stain is suitable for both pine and hardwood timber decks, as well as outdoor furniture. This product can be applied to new and weathered timber, including items that have been previously stained - please refer to the "Preparation" section before use.

ULTRAMAX One Coat Deck & Furniture Oil Stain can only be used on new timber, weathered surfaces, or previously oil-stained timber, including fences and weatherboards. For information regarding use over mineral oil finishes, please refer to the common questions and answers section.

LIMITATIONS:

NOT TO BE USED over surfaces which are coated with paint, varnish or lacquer.

ULTRAMAX One Coat Deck & Furniture Oil Stain is not recommended on bamboo or similar non-absorbent timbers.

COLOURS:

Natural, Kwila, Charcoal.

Notes: The final colour of ULTRAMAX One Coat Deck & Furniture Oil Stain is determined by the underlying colour of the timber to which it is applied.

Always colour test first to check that your choice of ULTRAMAX One Coat Deck & Furniture Oil Stain gives the result you want on the surface you are staining.

APPLICATION DATA:

Surface Preparation:

All Surfaces:

Must be sound, clean, dry and free from dirt, oil, grease, mould, moss, soot, lichen, salt, bird droppings and other contaminants.

Preparation is the key to the performance of ULTRAMAX One Coat Deck & Furniture Oil Stain. We recommend the use of either MASTERMAX PREPMAX Timber Clean & Prep for timber deck preparation or when a more aggressive preparation is required and MASTERMAX GET-GONE fungicidal treatment & cleaner for outdoor furniture and other timber substrates preparation.

Mould, Moss & Lichen:

If mould, moss or lichen is present, pre-treat the surfaces in advance with either MASTERMAX PREPMAX Timber Clean & Prep or MASTERMAX GET-GONE fungicidal treatment & cleaner as outlined above and leave for at least 2 weeks, then remove dead material and dirt by scraping, scrubbing or pressure washing. Leave to dry. Note: Removal of these is critical to achieving a successful long-term decorative STAIN system, and to achieve this, you need to treat, leave until it has died, then remove.

New Pine:

New decking timber should be weathered for 8 weeks. Clean and treat with either MASTERMAX PREPMAX Timber Clean & Prep or MASTERMAX GET-GONE fungicidal treatment & cleaner as outlined above before application of ULTRAMAX One Coat Deck & Furniture Oil Stain.

Note: Shiny (mill glazed) machined timber surfaces should be sanded or weathered prior to application of ULTRAMAX One Coat Deck & Furniture Oil Stain to allow penetration.

New Hardwood: We recommend hardwood timbers be weathered for 12 or more weeks before the application of ULTRAMAX One Coat Deck & Furniture Oil Stain. This assists with the removal of oil and tannins and opens the fibres to aid penetration. Rinsing with water several times over this period is beneficial in addition to the use MASTERMAX PREPMAX Timber Clean & Prep. Once weathered, prior to application of ULTRAMAX One Coat Deck & Furniture Oil Stain use MASTERMAX PREPMAX Timber Clean & Prep as outlined above

Weathered Pine & Hardwoods:

Brush badly weathered timber with a stiff bristle brush to remove any loose and degraded timber. Clean and treat with the appropriate MASTERMAX PREPMAX Timber Clean & Prep or MASTERMAX GET-GONE fungicidal treatment & cleaner as outlined above before the application of ULTRAMAX One Coat Deck & Furniture Oil Stain.

Previously Stained & Oiled Timber:

Clean and treat with MASTERMAX PREPMAX Timber Clean & Prep as outlined above. Brush badly weathered timber with a stiff bristle brush to remove any loose and degraded timber before the application of ULTRAMAX One Coat Deck & Furniture Oil Stain.

Notes:

Heavy water blasting is not recommended as it can "fluff" the timber surface, use a low-medium pressure wash down and/or scrubbing.

Do not use steel wool or wire brushes when preparing the timber surface as iron fragments will result in black spots and staining.

Application:

Apply on a fine day. Avoid application if rain is forecast within 24 hours or the temperature is below 5°C.

If applied to hot surfaces, difficult application may be experienced due to rapid evaporation.

Stir well before use with a wide flat stirrer in a circulating "bottom to top" motion.

Apply with a good quality brush or applicator pad (for Decks).

Apply liberally along the entire length of boards at a time to avoid lapping joins. Work ULTRAMAX One Coat Deck & Furniture Oil Stain well into any crevasses in the timber. Apply only as much ULTRAMAX One Coat Deck & Furniture Oil Stain as the timber will readily absorb. It is good practice to apply a full coat to the board ends and edges where practicable.

Drying & Curing Time:

ULTRAMAX One Coat Deck & Furniture Oil Stain dries in 24 hours and continues to harden and toughen over several days. Allow as long as practical on decks before light foot traffic or placing furniture.

On previously sealed/stained surfaces or new hardwood timbers, dry time will be longer. Drying and curing times depend upon timber absorbency, temperature and humidity.

Recoating:

Not usually required: In most cases, you won't need a second coat of ULTRAMAX One Coat Deck & Furniture Oil Stain, as it is specially formulated to deliver effective results with just one application on most surfaces. However, if you are working with heavily weathered or porous wood, a second coat may be necessary. If a 2nd coat is needed, the 1st coat must be touch dry and tack free enough to walk on before recoating.

Clean-up:

ULTRAMAX One Coat Deck & Furniture Oil Stain's innovative formulation allows for water clean-up. Wash equipment with cold water then, to remove any oily residue, rinse with hot, soapy water e.g. laundry detergent.

Protect our Environment – When disposing of leftover liquid, keep out of stormwater drains and waterways. Take to a local hazardous waste disposal station. Dry all empty containers in a well-ventilated area. Dispose of the empty containers according to your local council regulations.

GENERAL DATA

Maintenance:

We recommend washing every 12 months (after each winter is a great time) with MASTERMAX GET-GONE fungicidal treatment & cleaner to remove dirt deposits. Dirt, salt and bird deposits left on the surface will encourage the growth of mould and negatively affect the stain/paint performance.

ULTRAMAX One Coat Deck & Furniture Oil Stain requires reapplication every 2 to 5 summers. Reapply when the timber surface shows signs of significant weathering. New dressed timber surfaces may require early maintenance due to limited absorption on initial application.

Gloss Level:

Low Sheen.

Theoretical Coverage:

Allow 6-10 m² per litre per coat depending on the texture and absorbency of the timber. Rough, heavily weathered surfaces may have lower coverage than 6m² per litre per coat.

Application Temperature: 5-30°C

Shelf Life:

Store in cool conditions, away from direct sunlight. Under normal conditions, full containers can be stored for several years. Check contents before use.

Specific Gravity:

1.03 = 1.03 kg/litre.

Sizes Available:

ULTRAMAX One Coat Deck & Furniture Oil Stain is supplied in 250ml, 1L, 4L and 10L containers.

COMMON QUESTIONS & ANSWERS

Date Issued: June 2025

Page 2 of 3

The information concerning the use and application of our products is supplied in good faith, based on our experience and tests. However, subject to our standard Terms & Conditions of Sale (available on request) and any implied terms, conditions, or warranties imposed by the Consumer Guarantees Act 1993 the recommendations and suggestions herein are made without guarantee, as application conditions are out of our control. Adequate tests should be made to ensure product or recommendations suitability. We reserve the right to alter product or specification without notice.

"There shall be no right of redress against the manufacturer under the Consumer Guarantees Act 1993 in respect of goods which fail to comply with any express guarantees made by the manufacturer in relation to the information contained herein where the goods have failed for reasons beyond the control of the manufacturer".

Application details are based on generic scenarios, for any specific application not mentioned above, details please contact Agrippa Paints directly.

This product would be expected to be fit for purpose and perform as stated in this data sheet, provided the substrate is in good condition and preparation and application is completed as recommended to a high standard and application is carried out by a suitably skilled/experienced applicator.

The user should check the date of issue, and if more than 24 months have elapsed, should verify with our nearest sales office that the information is still current.

Q Can I use ULTRAMAX One Coat Deck & Furniture Oil Stain over Mineral oil finishes?

A Yes, you can, provided that the mineral oil finish is well weathered, and the timber is dry, hungry and due for a recoat. Check if water beads on the stained surface. If water beads, this means penetration is poor and you must thoroughly clean the timber with MASTERMAX PREPMAX Timber Clean & Prep to ensure penetration prior to application of one coat of ULTRAMAX One Coat Deck & Furniture Stain.

Q Gloss variation with ULTRAMAX One Coat Deck & Furniture Oil Stain?

A Gloss variation can occur due to variability in stain absorption into the timber. The gloss of the stain finish evens-out to a low sheen finish with weathering.

Q Why does ULTRAMAX One Coat Deck & Furniture Oil Stain require only 1 coat when other products suggest two coats?

A We incorporate high loadings of powerful UV absorbing transparent pigments, and dry film biocide that ensures you need only one coat to protect the timber from UV degradation and inhibit the growth of unsightly moss, mould, lichen and algae. Whilst on the surface this might appear to make our product more expensive than our competition, but, it is better value for money as less product needs to be used, and you save time and effort by only needing to apply one coat.